

LUXECOAT POWDER

Bleche



**LUXE
COAT powder**
by ofefalcoating

Lagerliste Pulverbandbeschichtete Farbaluminiumbleche

| | | | | 1,0 x 1.500 x 3.000 mm | 1,5 x 1.000 x 2.000 mm | 1,5 x 1.250 x 2.500 mm | 1,5 x 1.500 x 3.000 mm | 1,5 x 1.500 x 4.000 mm | 1,5 x 1.500 x 6.000 mm | 2,0 x 1.000 x 2.000 mm | 2,0 x 1.250 x 2.500 mm | 2,0 x 1.250 x 6.000 mm | 2,0 x 1.500 x 3.000 mm | 2,0 x 1.500 x 4.000 mm | 2,0 x 1.500 x 5.000 mm | 2,0 x 1.500 x 6.000 mm | 3,0 x 1.500 x 3.000 mm |
|----------|---------------|---|--|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| RAL 6005 | moosgrün | g | | | | | ○ | | | | | | ○ | | | | |
| RAL 7015 | schiefergrau | g | | | | | ○ | | | | | | ○ | | | | |
| RAL 7016 | anthrazitgrau | g | | | ○ | ○ | ○ | ○ | | ○ | ○ | ○ | ○ | ○ | | ○ | ○ |
| RAL 7016 | anthrazitgrau | m | | | | | ○ | | | | | | ○ | | | | |
| RAL 7021 | schwarzgrau | g | | | | | ○ | | | | | | ○ | | | | |
| RAL 7022 | umbragrau | g | | | | | ○ | | | | | | ○ | | | | |
| RAL 7035 | lichtgrau | g | | | | | ○ | | | | | | ○ | | | | |
| RAL 7040 | fenstergrau | g | | | | | ○ | | | | | | ○ | | | | |
| RAL 8014 | sepiabraun | g | | | | | ○ | ○ | | | | | ○ | ○ | | | |
| RAL 8077 | dunkelbraun | g | | | | | ○ | | | | | | ○ | ○ | | | |
| RAL 9002 | grauweiß | g | | | | | | | | | | | ○ | ○ | | | |
| RAL 9005 | schwarz | g | | | | | ○ | | | | | | ○ | | | ○ | ○ |
| RAL 9005 | schwarz | m | | | | | ○ | | | | | | ○ | | | | |
| RAL 9006 | weißaluminium | g | | ○ | ○ | ○ | ○ | ○ | | ○ | ○ | | ○ | ○ | | ○ | ○ |
| RAL 9007 | graualuminium | g | | ○ | ○ | ○ | ○ | | | ○ | ○ | | ○ | | | | |
| RAL 9010 | reinweiß | g | | | ○ | ○ | ○ | ○ | | ○ | ○ | | ○ | ○ | | | |
| RAL 9016 | verkehrsweiß | g | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| RAL 9016 | verkehrsweiß | m | | | | | | | | | | | ○ | | | | |
| DB 703 | Eisenglimmer | m | | | | | ○ | | | ○ | ○ | | ○ | | | | |

LUXECOAT POWDER

Coils



LUXE
COAT powder
by **otefal**coating

Lagerliste Pulverbandbeschichtete Farbaluminiumcoils

| | | | | 1,0 x 1.250 mm | 1,0 x 1.500 mm | 1,5 x 1.000 mm | 1,5 x 1.250 mm | 1,5 x 1.500 mm | 2,0 x 1.000 mm | 2,0 x 1.250 mm | 2,0 x 1.500 mm |
|----------|---------------|---|---|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| RAL 6005 | moosgrün | g | | | | | | ○ | | | ○ |
| RAL 7015 | schiefergrau | g | | | | | | ○ | | | ○ |
| RAL 7016 | anthrazitgrau | g | | ○ | | ○ | ○ | | | | ○ |
| RAL 7016 | anthrazitgrau | m | | | | | | ○ | | | ○ |
| RAL 7021 | schwarzgrau | g | | | | | | ○ | | | ○ |
| RAL 7022 | umbragrau | g | | | | | | ○ | | | ○ |
| RAL 7035 | lichtgrau | g | | | | | | ○ | | | ○ |
| RAL 7040 | fenstergrau | g | | | | | | ○ | | | ○ |
| RAL 9005 | schwarz | g | | | | | | ○ | | | ○ |
| RAL 9005 | schwarz | m | | | | | | | | | ○ |
| RAL 9006 | weißaluminium | g | | ○ | ○ | | | | | | |
| RAL 9007 | graualuminium | g | | ○ | ○ | ○ | | | ○ | ○ | |
| RAL 9010 | reinweiß | g | ○ | | | ○ | ○ | ○ | ○ | | |
| RAL 9016 | verkehrsweiß | g | | ○ | | ○ | ○ | ○ | ○ | ○ | ○ |
| DB 703 | Eisenglimmer | m | | | | | | | ○ | ○ | |

LUXECOAT LIQUID

Bleche



LUXE
COAT liquid
by **otefal**coating

Lagerliste bandbeschichtete Farbaluminiumbleche Liquid

| | | | | 0,8 x 1.000 x 2.000 mm | 0,8 x 1.000 x 3.000 mm | 0,8 x 1.250 x 2.000 mm | 0,8 x 1.250 x 2.500 mm | 0,8 x 1.500 x 3.000 mm | 1,0 x 1.250 x 2.500 mm | 1,0 x 1.500 x 3.000 mm | 1,5 x 1.500 x 3.000 mm | 1,5 x 1.500 x 4.000 mm |
|----------|---------------|---|--|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| RAL 7016 | anthrazitgrau | m | | ○ | ○ | ○ | ○ | ○ | ○ | | ○ | ○ |
| RAL 8004 | kupferbraun | m | | ○ | | | | ○ | ○ | | | |
| RAL 8014 | sepiabraun | m | | ○ | | ○ | | | | | | |
| RAL 9005 | schwarz | m | | | | | | | | | ○ | |
| RAL 9006 | weißaluminium | m | | ○ | | | | ○ | | | ○ | ○ |
| RAL 9010 | reinweiß | m | | ○ | | ○ | | | ○ | ○ | | |
| RAL 9016 | verkehrsweiß | m | | | | | | ○ | | ○ | ○ | ○ |

LUXECOAT LIQUID

Coils



LUXE
COAT liquid
by otefalcoating

Lagerliste bandbeschichtete Farbaluminiumcoils Liquid

| | | | | 0,8 x 1.000 mm | 0,8 x 1.250 mm |
|----------|---------------|---|--|----------------|----------------|
| RAL 7016 | anthrazitgrau | m | | 0 | 0 |
| RAL 8014 | sepiabraun | m | | 0 | 0 |
| RAL 9010 | reinweiß | m | | 0 | 0 |

OTEFAL ANODIZING

Bleche



Lagerliste bandeloxierte Bleche

E6EV1 bandeloxiert

| | |
|---|------------------------|
| ○ | 1,0 x 1.000 x 2.000 mm |
| ○ | 1,0 x 1.250 x 2.500 mm |
| ○ | 1,0 x 1.500 x 3.000 mm |
| ○ | 1,0 x 1.500 x 4.000 mm |
| ○ | 1,5 x 1.000 x 2.000 mm |
| ○ | 1,5 x 1.250 x 2.500 mm |
| ○ | 1,5 x 1.500 x 3.000 mm |
| ○ | 1,5 x 1.500 x 4.000 mm |
| ○ | 1,5 x 1.500 x 6.000 mm |
| ○ | 2,0 x 1.000 x 2.000 mm |
| ○ | 2,0 x 1.100 x 6.000 mm |
| ○ | 2,0 x 1.250 x 2.500 mm |
| ○ | 2,0 x 1.250 x 6.000 mm |
| ○ | 2,0 x 1.500 x 3.000 mm |
| ○ | 2,0 x 1.500 x 4.000 mm |
| ○ | 2,0 x 1.500 x 6.000 mm |
| ○ | 2,5 x 1.000 x 2.000 mm |
| ○ | 3,0 x 1.000 x 2.000 mm |
| ○ | 3,0 x 1.250 x 2.500 mm |
| ○ | 3,0 x 1.500 x 3.000 mm |

OTEFAL ANODIZING

Coils



Lagerliste bandeloxierte Coils

| | | | | | |
|-------|--------------|----------------|---|---|---|
| | | 1,0 x 1.250 mm | | | |
| | | 1,5 x 1.250 mm | | | |
| | | 1,5 x 1.500 mm | | | |
| | | 2,0 x 1.250 mm | | | |
| | | 2,0 x 1.500 mm | | | |
| E6EV1 | bandeloxiert | ○ | ○ | ○ | ○ |
| | | ○ | ○ | ○ | ○ |